



# Certificate of Analysis

FOR COMPLIANCE

Sample:AL31004003-001

Batch#: 32680HGE01

Seed to Sale# BioTrack

Sample Size Received: 13 units

Total Amount: 1800 units

Retail Product Size: 35 gram

Sampled: 10/04/23 07:45 AM

Sampling Start: 07:45 AM

Sampling End: 07:45 AM

**PASSED**

Pages 1 of 1

Lunulata

License # : OCM-AUCP-22-000005

16 Vatrano Rd  
Albany, NY, 12205, US


PRODUCT IMAGE



SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**NOT TESTED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

MISC.



**Cannabinoid**

**PASSED**



Total THC

**0.1441%**

Total THC/Container : 50.435 mg



Total CBD

**0.1535%**

Total CBD/Container : 53.725 mg



Total Cannabinoids

**0.4586%**

Total Cannabinoids/Container : 160.510 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	CBN	D8-THC	D9-THC	THCA	THCV
%	<0.0007	<0.0007	0.0059	0.1535	<0.0007	0.0009	0.0111	<0.0007	0.1415	<0.0007	0.1441	<0.0007	0.0016
mg/unit	<0.245	<0.245	2.065	53.725	<0.245	0.315	3.885	<0.245	49.525	<0.245	50.435	<0.245	0.560
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:  
3.1747g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY  
Analyzed Date : 10/05/23 16:06:58

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Erica Troy**

Lab Director

NY Permit # OCM-CPL-2022-00006  
ISO 17025 Accreditation # 97164



Signature  
10/16/23